CLAIMS

What is claimed is:

1.	A method	of	establishing	а	third	nart\	/ call	com	orisi	na:
	/ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	O1	Colubiloring	u	uma	puit	Juli	00111	91101	ישיי

responsive to a telephone call initiated by a third party to a directory number of a called party, first determining that said called party is engaged in an existing telephone call with one or more other parties;

processing said telephone call in a telephony application, said telephony application determining whether said third party has authority to join said existing telephone call with said called party; and

if so, connecting said third party with said existing telephone call.

- The method of claim 1, wherein said processing step further comprises:
 receiving a password from said third party; and
 determining whether said third party is an authorized party using at least said
 password.
- 3. The method of claim 1, wherein said processing step further comprises: identifying caller identification information associated with said third party; comparing said caller identification information with a list of authorized callers; and determining whether said third party is an authorized party.
- 4. The method of claim 1, wherein said connecting step further comprises: connecting said call only if said directory number of said called party has been registered to receive calls initiated from authorized remote third party callers when engaged in an existing telephone call.
- The method of claim 1, wherein said connecting step comprises:
 establishing a communications link between said third party and said called party

P1017827;2 · 13

3 exclusive of said other parties involved in said existing telephone call.

1

2

3

4

5

6

7

5 L X 17 2 L 3 4 L 5.

2

3

4

5

1

2

3

4

6. A method of establishing a third party call comprising: receiving a telephone call from said third party to an access directory number; receiving a directory number from said third party, wherein said directory number is associated with a called party;

processing said telephone call in a telephony application, said telephony application determining that said called party is engaged in an existing telephone call with one or more other parties, and determining whether said third party has authority to join said existing telephone call with said called party; and

if so, connecting said third party with said existing telephone call.

- 7. The method of claim 6, wherein said processing step further comprises: prompting said third party for a password; receiving said password from said third party; and determining whether said third party is an authorized party using at least said password.
- 8. The method of claim 6, wherein said processing step further comprises: identifying caller identification information associated with said third party; comparing said caller identification information with a list of authorized callers; and determining whether said third party is an authorized party.
- 9. The method of claim 6, wherein said connecting step further comprises: connecting said call only if said directory number of said called party has been registered to receive calls initiated from authorized remote third party callers when engaged in an existing telephone call.

P1017827;2 14

10. The method of claim 6, wherein said connecting step comprises:

establishing a communications link between said third party and said called party exclusive of said other parties involved in said existing telephone call.

- 11. An IP node having a telephony application configured to first determine that a called party is engaged in an existing telephone call with one or more other parties responsive to a telephone call initiated by a third party to a directory number of said called party; to process said telephone call in said telephony application, wherein said telephony application determines whether said third party has authority to join said existing telephone call with said called party; and if so, to connect said third party with said existing telephone call.
- 12. An IP node having a telephony application configured to receive a telephone call from a third party to an access directory number; to receive a directory number from said third party, wherein said directory number is associated with a called party; to process said telephone call in said telephony application, wherein said telephony application determines that said called party is engaged in an existing telephone call with one or more other parties and to determine whether said third party has authority to join said existing telephone call with said called party; and if so, to connect said third party with said existing telephone call.
- 13. A machine-readable storage, having stored thereon a computer program having a plurality of code sections executable by a machine for causing the machine to perform the steps of:

responsive to a telephone call initiated by a third party to a directory number of a called party, first determining that said called party is engaged in an existing telephone call with one or more other parties;

processing said telephone call in a telephony application, said telephony application determining whether said third party has authority to join said existing

P1017827;2 15

1	
2	(
2 3 4 5	
4	
5	1
1Ա.Ծ.1 Ա.Ծ./ 🛠 ԱԱԾ անց այլ անգել	(
4	ı
5	(
5 1 2 3	
3	

4

9	telephone call with said called party; and
10	if so, connecting said third party with said existing telephon

- 14. The machine-readable storage of claim 13, wherein said processing step further comprises:
 - receiving a password from said third party; and
- determining whether said third party is an authorized party using at least said password.
- 15. The machine-readable storage of claim 13, wherein said processing step further comprises:

identifying caller identification information associated with said third party; comparing said caller identification information with a list of authorized callers; and

determining whether said third party is an authorized party.

16. The machine-readable storage of claim 13, wherein said connecting step further comprises:

connecting said call only if said directory number of said called party has been registered to receive calls initiated from authorized remote third party callers when engaged in an existing telephone call.

- 17. The machine-readable storage of claim 13, wherein said connecting step comprises:
- establishing a communications link between said third party and said called party exclusive of said other parties involved in said existing telephone call.
- 1 18. A machine-readable storage, having stored thereon a computer program having 2 a plurality of code sections executable by a machine for causing the machine to

16

8
9
10
11
5

6

1

2

3

5

and

3

5

6

7

		perf	orm	the	steps	of:
--	--	------	-----	-----	-------	-----

receiving a telephone call from said third party to an access directory number;

receiving a directory number from said third party, wherein said directory number is associated with a called party;

processing said telephone call in a telephony application, said telephony application determining that said called party is engaged in an existing telephone call with one or more other parties, and determining whether said third party has authority to join said existing telephone call with said called party; and

if so, connecting said third party with said existing telephone call.

19. The machine-readable storage of claim 18, wherein said processing step further comprises:

prompting said third party for a password;
receiving said password from said third party; and
determining whether said third party is an authorized party using at least said
password.

20. The machine-readable storage of claim 18, wherein said processing step further comprises:

identifying caller identification information associated with said third party; comparing said caller identification information with a list of authorized callers;

determining whether said third party is an authorized party.

21. The machine-readable storage of claim 18, wherein said connecting step further comprises:

connecting said call only if said directory number of said called party has been registered to receive calls initiated from authorized remote third party callers when engaged in an existing telephone call.

P1017827;2 17

- 1 22. The machine-readable storage of claim 18, wherein said connecting step comprises:
- establishing a communications link between said third party and said called party exclusive of said other parties involved in said existing telephone call.